BC Content As-run specification

Change log

Version	Description of change	Date
01	First version	2026-09-03

File Content type and file name

The file is provided in CSV format with semicolon (;) as field/variable delimiter.

Character encoding is UTF-8.

Escape within variables:

- ; = \;
- Carriage return = \r
- Line feed = \n
- Tabb = \t
- \ = \\

Each record is terminated with carriage Return and Line Feed (CRLF).

The file naming is **BC_Content_As-run_YYYYMMDD_VN.CSV.GZ**, where:

- **BC** – Broadcast.
- **Content** – Program content.
- **As-run** - Report type.
- **YYYYMMDD** - Date of aired content: Year-Month-Day.
- **VN** - Version number according to the “Change log” table in this document (starting at 01).
- **CSV** - Comma-Separated file format.
- **GZ** – “G-zipped” compression file format.

LAYOUT

All variables will follow the column order.
First row will contain all variable name.

Column order	Variable	Length	Type of data	Comment
1	ChannelId	1-4	Numbers 1-9999	Numbers according to channel reference library on mms.se.
2	StartDate	8	YYYYMMDD	MMS TV-day (02:00-25:59).
3	StartTime	6	HHMMSS	Start time of each content (02:00-25:59).
4	ContentDuration	1-4	Numbers 1-1440	Length in minutes
5	TitleCode	0-36	Any character	Delivered whenever the content has one. May be empty. Use ContentId to group broadcasts to content.
6	ProgramTitle	1-50	Any character	
7	MaM	3-4	120-1559	Minutes after midnight
8	SaM	4-5	1-99999	Seconds after Midnight
9	MMSGenreCode	5	Numbers 1-99999	See mms.se
10	ContentId	1-12	1-999 999 999 999	Content identifier. Always populated. Stable across deliveries; one id per content item regardless of how many times it airs.
11	ContentBroadcastId	1-12	Numbers	Identifier of this specific airing.

				Always populated. Stable across re-delivery